

高低壓絕緣礙子 低壓銅排夾




汎武事業股份有限公司
RST ENTERPRISE CO., LTD.




低壓絕緣礙子




SM-70




SM-55




SM-50




SM-40




SM-401




SM-402



SM-30




SM-20





高壓絕緣礙子




1. Material: Bulk molding compound, unsaturated polyester.
2. Nut inserts: Brass, various specifications are available.
3. Test specifications: JIS C3801 and JIS C3851.
4. Color: Dark brown or dark red.
5. Dimension and characteristics.


Part No.		EL-30N	EL-24	EL-15	EL-12	EL-6M	EL-3M	V6090	V60155	V70210	J06-170
End diameters (A/B).mm		100	70	70	58	70	70	60	60	70	80
Height(H).mm		310	210	142	130	90	60	90	155	210	300
Surface leakage distance, mm		630	356	210	172	125	88	140	197	285	520
Rated voltage.kV		36	24	15	12	7.2	3.6	8.5	12	22	36
Low frequency dielectric strenght .kV		75	60	50	36	22	16	-	-	-	-
Impule voltage resistance. kV		200	125	110	95	75	60	-	-	-	-
Persistent begding strength. 1 min, kg		500	300	400	300	400	400	-	-	-	-
Tensile strength. kg		>3000	>1500	>1500	>2000	>1200	>1200	-	-	-	-
Torque stength.kg-m		25	>25	>25	>25	>25	>25	-	-	-	-
Inseris arrangement	Top	A1	M16	M10	M10	M10	M10	M10	M10	M12	M10
		A2	M8	-	M8	M8	M8	M6	M6	M6	M6
		A3	-	M8	M8	-	-				
		AX	40	-	36	40	40	36	36	36	36
		AY	-	40	40	-	-				
	BOTTOM	S1	M16	M10	M10	M10	M10	M12	M12	M16	M16
		S2	-	-	-	-	-	-	-	-	-
		S3	M4	-	-	-	-	-	-	-	-
		S31	-	-	-	-	-	-	-	-	-
		SX	-	-	-	-	-	-	-	-	-
		SY	-	-	-	-	-	-	-	-	-
		SY1	30	-	-	-	-	-	-	-	-




低壓銅排夾




EL-60




EL-105




EL-130




EL-155




EL-170




EL-270




EL-180



EL-295







汎武事業股份有限公司
RST ENTERPRISE CO., LTD.

總公司

地址：高雄市鼓山區美術東五路66號
TEL：07-5521311
FAX：07-5553667
E-Mail：rst@rstpower.com.tw
網址：www.rstpower.com.tw

台中營業所

地址：台中市西屯區天保街11號
TEL：04-23507936
FAX：04-23507923

台北營業所

地址：台北縣三峽鎮中山路184巷9號
TEL：02-86717471
FAX：02-86717427

台南營業所

地址：台南縣永康市中正北路697號
TEL：06-2436067
FAX：06-2432867